


DECOY



HEADSETDIMENSIONS

TOP: ZS44I28,6 (11/8")
BOTTOM: ZS56I40 (1.5")

SHOCKINSTALLATIONLENGHT
230X60/65MM

SHOCKHARDWARE
FRONT: Ø8X20MM
REAR:Ø8X40MM


SEATPOSTDIAMETER
31,6MM

SEATPOSTCLAMPINNERDIAMETER
35,6MM

BRAKE MOUNTSTANDARD
POSTMOUNT180


POS.	Part description	Quantity
1	FRONT TRIANGLE	1
2	FLIPCHIP-R	1
3	LOWER LINK SLEEVE	1
4	BEARING 61802-2RS	4
5	ACROS WASHER	6
6	DISTANCE WASHER	1
7	DISTANCE SLEEVE	1
8	BEARING 3903-2RS	2
9	ACROS WASHER	2
10	CHAINSTAY	1
11	HORSTLINK BOLT	2
12	DISTANCE WASHER	2
13	BEARING 63802-2RS	2
14	X RING	4
15	DISTANCE WASHER	4
16	HORSTLINK SCREW	2
17	UDH SCREW M4x8	1
18	SEATSTAY	1
19	MAIN PIVOT AXLE	1
20	TAPER WASHER	1
22	SCREW DIN 912 M6x20	1
23	UPPER LINK BOLT	2
24	TAPER WASHER	1
25	LOWER LINK AXLE	1
26	LINK	1
27	REAR SHOCK BOLT	1
28	FLIPCHIP-NDS	1
29	FRONT SHOCK BOLT	1
30	SCREW	1
31	CABLE CLAMP	1
32	CABLE GUIDE	1
33	BOTTLE MOUNT SCREW	2
34	LOWER BATTERY BOLT	2
35	BATTERY MOUNT WASHER	1
36	BATTERY MOUNT CONE	2
37	UPPER BATTERY BOLT	2
38	CABLE DUCT	1

DECOY



POS.	Part description	Quantity
39	FORK PROTECTOR	1
40	CABLE PLUG BLIND/LIGHT	1
41	CABLE PLUG SHIFT	1
42	CABLE PLUG ELECTRIC	1
43	CABLE PLUG BRAKE	1
44	SCREW ISO 14582 M5x25	3
45	SATELITESWITCH BASEPLATE	1
46	SUBFRAME DISCHARGE CONNECTOR	1
47	FLATHEAD CYLINDER HEAD SCREW M5x8	4
48	DISTANCE WASHER	6
49	SCREW DIN 7984 M8 x 20	6
50	SKIDPLATE	1
51	CHAINSTAY PROTECTOR	1
52	SEATSTAY PROTECTOR	1
53	CABLE PLUG BRAKE/ELECTRIC	1
64	MAGNET MOUNT	1
65	SCREW ISO 10642 M4x16	1
66	DU FOAM	1
70	RUBBER PATCH	1
71	CONNECTOR SHIM 0.5 MM	1
66	DU FOAM	1
70	RUBBER PATCH	1
71	CONNECTOR SHIM 0.5 MM	1
72	CONNECTOR SHIM 1 MM	1
73	CONNECTOR HOUSING	1
74	SCREW DIN 912 M3x16	1
76.1	UDH-HANGER SCREW	1
76.2	UDH-HANGER WASHER	1
76.3	UDH-HANGER	1


DECOY BATTERY YT-01-50S




POS.	Part description	Quantity
54	SCREW ISO 4762 M4x12	4
55	UPPER BATTERY MOUNT	1
56	SCREW ISO 7380 M4x12	6
57	BATTERY COVER	1
58	CHARGING CONNECTOR SEALING	1
59	BATTERY MOUNT BOLT	1
60	RUBBER BUSHING	2
61	LOWER BATTERY MOUNT	1
62	LOWER BATTERY MOUNT NUT	1
63	BATTERY	1
67	BATTERY COVER WASHER	2
68	BATTERY FOAM NDS	1
69	BATTERY FOAM DS	1
75	BATTERY FOAM	1

DECOY

TORQUE // THREADLOCKER & GREASE INFORMATION



GREASE



THREADLOCKER

USE MEDIUM STRENGHT THREADLOCKER
RECOMMENDED: LOCTITE 243