

DECOY SN MK1 CF MX



HEADSET DIMENSIONS

TOP: ZS 56

BOTTOM: ZS 56

SHOCK INSTALLATION LENGTH

MX: 230 X 65

SHOCK HARDWARE

FRONT: Ø8 X 20MM

REAR: Ø8 X 15MM (90°)

SEATPOST DIAMETER

34,9MM

SEATPOST CLAMP INNER DIAMETER


38.9MM

BRAKEMOUNT STANDARD

POSTMOUNT 200


BOTTOM BRACKET STANDARD

FAZUA



POS.	Part description	Quantity
1	FRONT TRIANGLE	1
2	SEATSTAY	1
3	CHAINSTAY	1
4	YOKE	1
5	LINK	1
6	FRONT SHOCK BOLT	1
7	LOWER SHOCK BOLT	1
8	LOWER LINK AXLE	1
9	MAIN PIVOT AXLE	1
10	UPPER ROCKER AXLE	4
11	HORSTLINK BOLT	2
12	HORSTLINK SCREW	2
13	SCREW	2
14	SCREW	2
15	SCREW	1
16	SCREW	1
17	FLIPCHIP TOP	1
18	FLIPCHIP BOTTOM	1
19	WASHER	6
20	WASHER	2
21	WASHER	2
22	WASHER	6
23	WASHER	6
24	WASHER	1
25	X RING	6
26	SLEEVE	1
27	SLEEVE	1
28	TAPER WASHER	1
29	TAPER WASHER	1
30	CABLE CLAMP	2
31	CABLE PLUG EL	1
32	CABLE PLUG SHIFT	2
33	SCREW	2
34	CABLE CLAMP DS	1
35	CABLE CLAMP BRAKE + EL	1
36	CABLE PLUG BRAKE	1
37	BEARING	6
38	BEARING	2
39	BEARING	2
40	SCREW	2
41	PROTECTION STICKER SHEET	1

DECOY SN MK1 CF MX




POS.	Part description	Quantity
42	SKIDPLATE	1
43	BACKPLATE CHARGE PORT	1
44	SCREW	2
45	CABLE PLUG	1
46	CABLE PLUG BLIND	1
47	DOWNTUBE PROTECTION	1
48	CHAINSTAY PROTECTION BOTTOM	1
49	CHAINSTAY PROTECTION TOP	1
50	SEATSTAY PROTECTION MX	1
51	CP PLUG BLIND	1
52	CABLE PLUG EL + LIGHT	1
53	CABLE PLUG BLIND	2
54	SPEED SENSOR CLAMP	1
55	CABLE PLUG BLIND	2
56	SCREW	6
57	DOWNTUBE PROTECTION PLUG	1
58	CABLE CLAMP COVER	1
59	SCREW	4


DECOY SN MK1 CF MX



GREASE / TORQUE / THREADLOCKER



GREASE



THREADLOCKER

! USE MEDIUM STRENGTH THREADLOCKER
RECOMMENDED: LOCTITE 243